

# Safety Data Sheet Copper Sulfate Pentahydrate

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Cupric Sulfate, Pentahydrate, Fine Crystal, ACS

Synonyms/Generic Names: Blue Copper; Blue Vitreol; Copper (II) Sulfate Pentahydrate

Product Number: CP-A1419D, M1419D, 1705

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: ChemPure Brand Chemicals

39103 Warren Road Westland, MI 48185

For More Information Call: 734-729-1805 (Monday-Friday 8:00-4:30)

In Case of Emergency Call: CHEMTREC – 800-424-9300 or 703-527-3887 (24 Hours/Day, 7Days/Week)

### 2. HAZARDS IDENTIFICATION

OSHA Hazards: Target organ effect, Toxic by ingestion, Irritant

Target Organs: Liver, Kidney, Blood

Signal Words: Danger Pictograms:



#### **GHS Classification:**

Acute toxicity, Oral	Category 3
Acute toxicity, Dermal	Category 5
Skin irritation	Category 2
Eye irritation	Category 2A
Acute aquatic toxicity	Category 1

## **GHS Label Elements, including precautionary statements:**

#### **Hazard Statements:**

H301	Toxic if swallowed	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	

Revised on 11/04/2021 Page 1 of 6

**Precautionary Statements:** 

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses if present and easy to do so. Continue rinsing.		
P273	Avoid release to the environment		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.		

# Potential Health Effects

Eyes	Causes eye irritation.	
Inhalation	Harmful if inhaled. Causes respiratory tract irritation.	
Skin	Harmful if absorbed through skin. Causes skin irritation.	
Ingestion	Ingestion Toxic if swallowed.	

# NFPA Ratings

# **HMIS Ratings**

Health	2	
Flammability	0	
Reactivity	0	
Specific hazard	Not Availa	

Health	2
Fire	0
Reactivity	0
Personal	E

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Cupric Sulfate Pentahydrate	98-102	7758-99-8	231-847-6	CuSO <sub>4</sub> +5H <sub>2</sub> O	249.69 g/mol

# 4. FIRST-AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water and seek medical attention immediately.		
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not		
	breathing, give artificial respiration. Get medical attention immediately.		
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated		
	clothing and wash using soap. Get medical attention.		
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If		
	conscious, wash out mouth with water. Get medical attention immediately.		

# **5. FIREFIGHTING MEASURES**

Suitable (and unsuitable) extinguishing media	Product is not flammable. Do not use water on product. Use appropriate media for adjacent fire. Use flooding quantities of water to cool containers.	
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective	
and precautions for firefighters clothing, including eye protection and boots.		
Specific hazards arising from Emits toxic fumes (sulfur oxides, copper oxides) under fire condit		
the chemical	(See also Stability and Reactivity section).	

# **6. ACCIDENTAL RELEASE MEASURES**

Revised on 11/04/2021 Page 2 of 6

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.	
Environmental precautions	Do not disperse dust into the air during clean-up. Any release to the environment may require reporting to federal/national or local agencies.	
Methods and materials for containment and cleaning up	Ventilate the release area. Do not disperse dust into the air during clean- up. Use appropriate tools to pick up any spill. Pick up and arrange disposal without creating dust. Sweep up and place in a suitable closed container for disposal. Dispose of all waste or cleanup materials in accordance with local regulations.	

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

## Conditions for safe storage, including any incompatibilities

Store in a tightly closed container. Store in a dry, cool, and well ventilated area. Isolate from oxidizing materials. Keep away from incompatible materials (see section 10 for incompatibilities).

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Occupational Exposure Controls:**

Component	Exposure Limits	Basis	Entity
Copper sulfate Pentahydrate	1 mg/m <sup>3</sup>	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

**CEIL**: Ceiling

## **Personal Protection**

Eyes	Chemical safety glasses.	
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.	
Skin	Wear neoprene or nitrile gloves, protective clothing appropriate to the risk of exposure.  The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Other	Not Available	

#### **Other Recommendations**

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

Revised on 11/04/2021 Page 3 of 6

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Blue crystals, granular or powder
Odor	Not Available
Odor threshold	Not Available
рН	3.7-4.5 at 50 g/l at 25°C (77°F)
Melting point/freezing point	110°C (230°F)
Initial boiling point and boiling range	Not Available
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	9.7 hPa (7.3 mmHg)
Vapor density	Not Available
Relative density	Not Available
Solubility (ies)	Soluble
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

# **10. STABILITY AND REACTIVITY**

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Moisture
Incompatible Materials	Powered metals, anhydrous copper (II) sulfate, reacts violently
	with: hydroxylamine, magnesium.
<b>Hazardous Decomposition Products</b>	Sulfur oxides, copper oxides.

# 11. TOXICOLOGICAL INFORMATION

# **Acute Toxicity**

Skin	LD50 Dermal – rat - > 2000 mg/kg
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral – rat – 300 mg/kg

# Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Revised on 11/04/2021 Page 4 of 6

Signs & Symptoms of Exposure

<del></del>	<u> </u>
Eyes	May cause eye irritation. Symptoms include eye burns, pain, watering eyes
Inhalation	Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath, burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache or nausea.
Skin	Contact causes redness, irritation, itching and pain. Prolonged or repeated skin exposure may cause dermatitis
Ingestion	Repeated ingestion of small amounts may cause weakness, confusion, central nervous system effects, nausea and skin eruptions.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Prolonged or repeated exposure may cause allergic reactions.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	EC50 – Daphnia magna (water flea) – 0.024 mg/l – 48 hours
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Very toxic to all aquatic organisms

# 13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste products or residues.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

# 14. TRANSPORT INFORMATION

LIC DOT	LINGS77 F
US DOT	UN3077, Environmentally hazardous substances, solid, n.o.s. (Copper(II)
	Sulfate Pentahydrate)), 9, pg III

Revised on 11/04/2021 Page 5 of 6

TDG	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID,
	N.O.S. (COPPER (II) SULFATE PENTAHYDRATE), 9, pg III
IMDG	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID,
	N.O.S. (COPPER (II) SULFATE PENTAHYDRATE), 9, pg III
Marine Pollutant	No
IATA/ICAO	UN3077, Environmentally hazardous substances, solid, n.o.s. (Copper(II)
	Sulfate Pentahydrate)), 9, pg III

## 15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Listed: Cupric Sulfate
SARA 304	Listed: Cupric Sulfate
SARA 311	Cupric Sulfate
SARA 312	Cupric Sulfate
SARA 313	Listed: Cupric Sulfate
WHMIS Canada	Class D2B: Toxic Material

#### 16. OTHER INFORMATION

Revision	Date
Revision 1	01/29/2013
Revision 2	08/16/2013
Revision 3	10/28/2013
Revision 4	11/04/2021

Disclaimer: ChemPure Brand Chemicals ("ChemPure") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because ChemPure has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. ChemPure MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 11/04/2021 Page 6 of 6