



...Pure Quality

Certificate of Analysis

Product: ACS/HPLC Acetone
Cat: CP-C9043
Lot: DY931-X
Date of Manufacture: 04/30/20
Use Before Date: 0429/23

Meets ACS Specifications

<u>Test</u>	<u>Specification</u>		<u>Result</u>	<u>Units</u>
	<u>Min.</u>	<u>Max.</u>		
Water by Karl Fischer Titration		0.50	0.34	%
UV Cutoff		330	328	nm
Refractive Index (20°C)	1.3583	1.3589	1.3587	
Residue		3	1	mg/L
GC Analysis (excluding water)	99.9		99.98	%
Solubility in Water	Passes test		Passes test	
Color (APHA)		10	<10	
Titration Acid		0.3	0.13	µeq/g
Titration Base		0.6	0.05	µeq/g
Aldehyde (as HCHO)		0.002	<0.002	%
Isopropyl Alcohol		0.05	<0.05	%
Methanol		0.05	<0.05	%
Substances Reducing Permanganate	Passes test		Passes test	
UV Absorbance @ 340 nm		0.080	0.0485	AU
UV Absorbance @ 350 nm		0.010	0.0030	AU
UV Absorbance @ 375 nm		0.005	<0.0001	AU
UV Absorbance @ 400 nm		0.005	<0.0001	AU

Quality Control Approval

Janna Dickinson

LIMS Sample No.: AL01353
5/1/2020