



...Pure Quality

---

## Certificate of Analysis

---

**Product:** ACS/HPLC Acetonitrile  
**Cat:** CP-C0157  
**Lot:** EG338  
**Date of Manufacture:** 2/22/23  
**Use Before Date:** 2/21/26

Meets ACS Specifications

<u>Test</u>	<u>Specification</u>		<u>Result</u>	<u>Units</u>
	<u>Min.</u>	<u>Max.</u>		
Appearance	Clear		Clear	
Water by Karl Fisher Titration		0.05	0.001	%
UV Cutoff		190	189	nm
Refractive Index (20°C)	1.3434	1.3446	1.3437	
Residue		3	<1	mg/L
GC Analysis	99.9		99.98	%
Color (APHA)		10	<10	
Titration Acid		8.0	0.30	µeq/g
Titration Base		0.6	0.02	µeq/g
HPLC Gradient @ 254 nm		0.005	<0.0050	AU
UV Absorbance @ 200 nm		0.070	0.0277	AU
UV Absorbance @ 210 nm		0.040	0.0124	AU
UV Absorbance @ 225 nm		0.020	0.0063	AU
UV Absorbance @ 250 nm		0.005	0.0013	AU
UV Absorbance @ 350 nm		0.005	0.0019	AU

Quality Control Approval

*Janna Dickinson*

LIMS Sample No.: AO00727  
2/22/2023