



...Pure Quality

Certificate of Analysis

Product: ACS/HPLC Methanol
Cat: CP-C2305
Lot: EL796
Description: ACS Reagent, for HPLC, Spectrophotometry, meets analytical specifications of USP, >99%
Date of Manufacture: 2026-Feb-13
Use Before Date: 2029-Feb-12

Meets ACS Specifications

<u>Test</u>	<u>Specification</u>		<u>Result</u>	<u>Units</u>
	<u>Min.</u>	<u>Max.</u>		
Appearance	Clear		Clear	
Water by Karl Fischer Titration		0.05	0.020	%
UV Cutoff		205	204	nm
Refractive Index (20°C)	1.3280	1.3288	1.3285	
Residue		3	<1	mg/L
GC Analysis	99.9		99.96	%
Substances Darkened by Sulfuric Acid	Passes test		Passes test	
Substances Reducing Permanganate	Passes test		Passes test	
Color (APHA)		10	<10	
Solubility in Water	Passes test		Passes test	
Carbonyl Compounds (each of acetone, formaldehyde, and acetaldehyde)		0.001	<0.001	%
Titration Acid		0.3	0.22	µeq/g
Titration Base		0.2	0.02	µeq/g
HPLC Gradient @ 254 nm		0.005	<0.0050	AU
UV Absorbance @ 225 nm		0.180	0.1269	AU
UV Absorbance @ 250 nm		0.020	0.0127	AU
UV Absorbance @ 300 nm		0.005	0.0002	AU
UV Absorbance @ 400 nm		0.005	0.0017	AU

Quality Control Approval

LIMS Sample No.: AR00340

2/13/2026