

Certificate of Analysis

Product: Ethyl Acetate
Cat: CP-C1006
Lot: EM481
Description: ACS, HPLC reagent, Spectrophotometry, meets USP specifications, $\geq 99.5\%$
Date of Manufacture: 2026-Jun-29
Use Before Date: 2029-Jun-28

Meets ACS Specifications

<u>Test</u>	<u>Specification</u>		<u>Result</u>	<u>Units</u>
	<u>Min.</u>	<u>Max.</u>		
Water by Karl Fischer Titration		0.03	0.010	%
UV Cutoff		256	253	nm
Refractive Index (20°C)	1.3720	1.3726	1.3725	
Residue		3	<1	mg/L
GC Analysis	99.5		99.91	%
Peroxides (as H ₂ O ₂)		2	<2	mg/L
Color (APHA)		10	<10	
Titrate Acid		0.9	0.56	µeq/g
Substances Darkened by Sulfuric Acid	Passes test		Passes test	
UV Absorbance @ 275 nm		0.050	0.0223	AU
UV Absorbance @ 300 nm		0.030	0.0107	AU
UV Absorbance @ 325 nm		0.005	0.0006	AU
UV Absorbance @ 400 nm		0.005	0.0007	AU

Quality Control Approval



LIMS Sample No.: AR01656
 6/29/2026